



**INNOVATIVE FLOORING  
SOLUTIONS**



### Comfortable underfoot

Cosy, natural and warm. Soft to the touch and comfortable underfoot.



### Sound reducing

Silent too, Our floor has great sound absorbing qualities making it one of the quietest flooring around.



## FLOORCARE

Taking care of your new floor couldn't be easier. Simply follow these guidelines to keep it looking new for longer

- ✔ Your new flooring is ready to be used and doesn't need any special surface treatment.
- ✔ Remove any debris or grit regularly using a brush or vacuum cleaner.
- ✔ Clean your floor with warm water and a vinyl floor cleaning detergent using a microfiber floor mop.
- ✔ Wipe the floor with a dry cloth until no moisture is visible on the floor.
- ✔ Use entrance mats at doorways to prevent debris and dirt coming into contact with your floor.
- ✔ Use felt pad on furniture legs to protect your floor.

There's nothing more inviting than a beautiful floor. Sophisticated and elegant, yet made to withstand the rigours of real life. Created for busy lifestyles, easy flooring, easy cleaning



### 100% Waterproof

For rooms that are subject to moisture and splashes, water-resistance is assured. Perfect for kitchens and bathrooms. Cleaning has never been so easy.




### Scratch & Stain Proof

Thanks to its unique double top layer, it gives your floor lasting protection against wear and tear from falling objects, furniture marks, high heels, and more



### Warranty

Our flooring comes with a 15 year commercial 20 year residential warranty. Durability for many years will be guaranteed.



### Underfloor Heating

Our floor and underfloor heating go perfectly together.





Chestnut Oak A01



English Oak A04



Silver Maple A03



Willow Oak A02

## SPECIFICATION

Plank Size	48" L x 7" W
Pad	1mm Blue IXPE
Wear Layer	22 Mil
Total Thickness	5mm SPC
Packaging	10pcs (24.028sf)/ctn, 55cartons (1,321.540sf)/PLT
Edge/End	Micro bevel
Click	Unilin



Silverveil Oak(Mercer) AP01



Pin Oak AP03



Strawberry Cream AP02

## SPECIFICATION

Plank Size	60" L x 7" W
Pad	1mm Blue/White IXPE
Wear Layer	22 Mil
Total Thickness	6mm SPC
Packaging	7pcs (21.01sf)/ctn, 50cartons(1050sf)/PLT
Edge/End	Micro bevel
Click	Unilin





Wheat Oak AXL01



Whisper Oak AXL02



Brown Walnut AXL03



Shore Oak AXL04

## SPECIFICATION

Plank Size	70" L x 9" W
Pad	1mm Purple IXPE
Wear Layer	28 Mil
Total Thickness	7mm SPC
Packaging	4pcs (17.67sf)/ctn, 52cartons (918.85sf)/PLT
Edge/End	Painted bevel
Click	Unilin



Hazel Oak K01



Drift Oak K02



Meadow Oak K03



Golden Oak K04

## SPECIFICATION

Plank Size	60" L x 9" W
Pad	2mm Green IXPE
Wear Layer	30 Mil
Total Thickness	12mm Light SPC
Packaging	4pcs (14.96sf)/ctn, 48cartons (718.12sf)/PLT
Edge/End	Pressed bevel
Click	Unilin



Hickory Light H01

## SPECIFICATION

Plank Size	36" L x 6" W
Pad	1mm Pink IXPE
Wear Layer	22 Mil
Total Thickness	7mm SPC
Packaging	8pcs (11.98sf)/ctn, 60cartons (718.58sf)/PLT
Edge/End	Micro bevel
Click	Unilin



Gray Slate IB01

## SPECIFICATION

Plank Size	48" L x 12" W
Pad	1mm Grey IXPE
Wear Layer	20 Mil
Total Thickness	6mm Trugrout SPC
Packaging	6pcs (23.87sf)/ctn, 45cartons (1,074.34sf)/PLT
Edge/End	Micro bevel
Click	I4F



Brown Teak M01



Mist Teak M02

## SPECIFICATION

Plank Size	48" L x 7" W
Wear Layer	22 Mil
Total Thickness	2.5mm LVT flooring
Packaging	6pcs (39.2sf)/ctn, 50cartons (1795.83sf)/PLT
Edge/End	Micro bevel

